

## BUILT TOUGH FOR SUPER-FAST, RELIABLE SCANNING



EasyMaintenance  
**Speedy**  
Capture On Touch  
High-Quality Scanning  
Color  
**compact**  
Fast



Business **can** be simple

# SCAN A VARIETY OF DOCUMENT TYPES WITH EFFICIENT PRECISION. A RELIABLE DOCUMENT SCANNER FOR ALL OF YOUR HIGH-SPEED SCANNING NEEDS.

Make sure that documents are fed straight with the adjustable document guides.

Support documents with the extendable feed support. Extend the support according to the length of the document sheets.



## Operating panel

Start and stop scanning and perform other operations away from your computer with the operating panel.



Selects from registered jobs.

Stops scanning.

Displays the current selected job number. Error codes also appear here if paper jams or other errors occur.

Starts scanning the document that is currently loaded.

Lights when a double feed is detected. Press this to save the scanned image of the double-fed document and continue scanning.

Open the document eject tray before you start scanning. Two extendable supports are available for various document lengths. Raise the stopper to keep ejected documents organized.

The DR-M160 offers superb accuracy with a precise feeding mechanism capable of handling even the thinnest document sheets. The double feed detection and separation retry functions automatically correct feed errors to maximize efficiency. Capable of producing high-quality 24-bit images in full color at 60 ppm via front panel operations. The compact and durable DR-M160 is everything you need for your intensive document digitizing operations.

## COMPACT AND HEAVY-DUTY

### Durable, solid body

Equipped with a sturdy body and durable moving parts, including a paper guide that easily adjusts to fit your document. The DR-M160 is built tough to get the job done as smoothly and effortlessly as possible. It's also compact and sized to fit on just about any desktop or counter.

### Reliable handling of a variety of documents

The slanted paper path design ensures smooth handling for everything from thick or thin documents to multi-sheet forms, checks, embossed cards, and even A3/11" x 17" folio. The large feed rollers and floating retard rollers provide highly reliable document delivery.

### High-capacity ADF

The heavy-duty feed tray can hold up to 60 sheets.

## FAST, HIGH-QUALITY SCANNING


### Rapid scanning

An improved CMOS contact image sensor unit enables the DR-M160's fast 60 ppm / 120 ipm scanning. Color documents can be scanned just as quickly as B&W, and double-sided documents are scanned in one pass. For fast and easy batch scanning, the automatic document feeder holds up to 60 sheets at one time.

	Simplex		Duplex	
	B/W, Grayscale	Color	B/W, Grayscale	Color
200 dpi	60	60	120	120
300 dpi	60	40	120	80

### Reliable document feeding

Canon's reliable page separation mechanism provides smooth feeding of a wide variety of document sizes and weights. Features such as Ultrasonic Double Feed Detection and Rapid Recovery further ensure dependability to ensure each and every page of a batch is scanned.



## IMAGE PROCESSING

### Automatic Color Detection


This function automatically determines which documents of a mixed batch should be saved in color, grayscale or B&W, so it's no longer necessary to separate B&W and color documents prior to scanning.

### Auto Page Size Detection

Save the time and trouble of sorting batches by paper size. This function automatically checks the size of each fed document end and ensures properly sized images for each page.

### Skip Blank Page

Useful for scanning batches that include single- and double-sided documents, this function automatically removes unnecessary blank pages from the image file.



## BUNDLED SOFTWARE

### CaptureOnTouch

The dedicated software supplied with DR-Series scanners, CaptureOnTouch, has been redesigned with a newly streamlined interface for even smoother scanning operations.



### Programmable scan jobs

Up to nine routine scan tasks can be registered as jobs, which can be accessed directly from the operating panel. The LED display shows the current selected job number (1 to 9), and the Job Select key is used to scroll through them for easy push button access to frequently-used scan functions and settings.

### CapturePerfect

CapturePerfect is Canon's own scanning application that makes it easy to get great scans straight out of the box. Through a user-friendly interface, the software gives you a wide selection of file-saving formats and file distribution options, such as searchable and encrypted PDF, Scan to Mail, Scan to Presentation, and more.



### eCopy PDF Pro Office

eCopy PDF Pro Office instantly creates 100% industry-standard, universally viewable PDFs files, and converts static PDF documents into editable files and useful information. eCopy PDF Pro Office allows you to attain the flexibility of a universal document format for higher productivity and seamless information exchange.



### Kofax VirtualReScan Basic

Leading image processing software, Kofax VRS Basic, improves readability of multiple-size documents with varying degrees of quality. Automatically straighten skewed pages without character degradation, optimize a document's brightness/contrast levels, and eliminate background noise and speckling.



## DR-M160 Specifications

Type	Desktop sheetfed scanner	
Scanning document size	Plain paper	Width: 54 mm to 216 mm (2" to 8.5") Length: 50.8 mm to 356 mm (2.12" to 14") Long Document mode up to 3,000 mm (118.1")
	Business card	50 mm x 85 mm (1.97" x 3.35") or larger
Scanning document thickness	Card	53.9 mm x 85.5 mm (2.12" x 3.37") (ISO standard)
	Plain paper	Page separation: 27 to 209 g/m <sup>2</sup> (7 to 56 lb bond) 0.04 mm to 0.25 mm (0.00157" to 0.00984") Bypass: 27 to 255 g/m <sup>2</sup> (7 to 68 lb bond) 0.04 mm to 0.3 mm (0.00157" to 0.0118")
	Business card	380 g/m <sup>2</sup> (80 lb bond) 0.15 mm (0.0059") or smaller
Scanning document thickness	Card	1.4 mm (0.55") or smaller
	Horizontal feeding only Embossed cards can be scanned.	
Document feeding method	Automatic	
Scanning sensor	Contact image sensor	
Light source	LED	
Scanning side	Simplex/duplex	
Scanning modes	Black and White, Error Diffusion, 256-level Grayscale, Advanced Text Enhancement, Advanced Text Enhancement II, 24-bit Color	
Scanning resolution	150 x 150dpi/200 x 200dpi/300 x 300dpi/400 x 400dpi/600 x 600dpi	
Scanning speed <sup>1)</sup>	Grayscale	Simplex: 200dpi 60 pages/min. 300dpi 60 pages/min.
		Duplex: 200dpi 120 images/min. 300dpi 120 pages/min.
		24-bit color
	24-bit color	Simplex: 200dpi 60 pages/min. 300dpi 40 pages/min.
		Duplex: 200dpi 120 images/min. 300dpi 80 pages/min.
		Interface
Other functions	Folio scanning, double feed detection release, separation retry	
Dimensions (W x D x H)	With the feed tray removed and the document eject tray closed 280 mm (11.02") x 172 mm (6.77") x 178 mm (7.01") With the feed tray attached and the document eject tray open 280 mm (11.02") x 606 mm (23.86") x 366.4 mm (14.43")	
Weight (without AC adapter)	Approximately 3.2 kg (7.05 lb)	
Power supply (using AC adapter)	DC24V 1.0A	
Power consumption	Scanning: maximum 27 W In the sleep mode: maximum 1.8 W With power switch OFF: maximum 0.5 W	
Noise	Not more than 67.5 dB	
Operating environment	Temperature: 10°C to 32.5°C Humidity: 20% to 80% RH	

1) Actual scanning speed may vary depending on your system configuration and PC.  
Specifications are subject to change without notice.

Microsoft, Windows, Windows Vista, PowerPoint and SharePoint are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

Adobe, the Adobe logo, Acrobat, the Adobe PDF logo, and Adobe Reader are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Kofax, the Kofax logo, and other Kofax marks are registered trademarks or trademarks of Kofax, Inc. in the United States and other countries, and used under authority from Kofax.

ENERGY STAR and the ENERGY STAR mark are registered U.S. trademarks. Other company names and product names appearing in this brochure are the registered trademarks and/or trademarks of their respective owners.

 Powered by  
ADOBE® PDF LIBRARY



DEALER'S STAMP

## Canon's Sales and Subsidiaries & Business Partners

### SINGAPORE

Canon Singapore Pte Ltd  
1 Harbourfront Avenue #04-01  
Keppel Bay Tower  
Singapore 098632  
Tel: (65) 6799 8888  
Fax: (65) 6799 8882  
www.canon-asia.com  
www.canon.com.sg

### BANGLADESH

Flora Limited  
Adamjee Court Annex-2, 4th Fl.  
119-120, Motijheel Commercial Area  
Dhaka-1000, Bangladesh  
Tel: (880) 2 7162742 46 Ext-225  
Fax: (880) 2 9550030  
www.floralimited.com

J.A.N. Associates Ltd  
House 25, Road 5, Dhanmondi R/A,  
Dhaka-1205, Bangladesh  
Tel: (880) 2 8611444 / 9660601 /  
9664101 / 8124941  
Fax: (880) 2 8610410  
jan@bangla.net  
jan-mkt@global-bd.net

### BRUNEI

Interhouse Company  
P.O. Box 423, Seri Complex BA1779,  
Bandar Seri Begawan BF1320  
No. 5-7, Bunut Jaya Complex  
Spg. 574, Km 7 1/4, Jalan Tutong  
Negara Brunei Darussalam  
Tel: (673) 2 653003  
Fax: (673) 2 653003  
www.ihc.com.bn

### CAMBODIA

Royal Cambodia Co Ltd  
#437 Preah Monivong Blvd  
Phnom Penh  
Kingdom of Cambodia  
Tel: (855) 23 428 955  
Fax: (855) 23 722 961  
www.royalgroup.com.kh  
rccanon@royalgroup.com.kh

### HONG KONG

Canon Hongkong Co., Ltd.  
19/F, The Metropolis Tower,  
10 Metropolis Drive,  
Hung Hom, Kowloon, Hong Kong  
Tel: (852) 3191 2388  
Fax: (852) 2369 3800  
www.canon.com.hk

### INDIA

Canon India Pvt Ltd.  
2nd Floor, Tower A & B  
Cyber Greens, DLF Phase III  
Gurugon - 122002 Haryana, India  
Tel: (91) 124 416 0000  
Fax: (91) 124 416 0011  
www.canon.co.in

### INDONESIA

P. T. Datascrip  
Kawasan Niaga Selatan Blok B-15  
Bandar Kemayoran  
Jakarta 10610 Indonesia  
Tel: (62) 21 6544515  
Fax: (62) 21 6544811 to 13  
www.datascrip.com

### MALAYSIA

Canon Marketing (Malaysia) Sdn Bhd  
Block D, Peremba Square,  
Saujana Resort Section U2,  
40150 Shah Alam,  
Selangor Darul Ehsan, Malaysia  
Tel: (60) 3 7844 6000 / 7845 0055  
Fax: (60) 3 7844 6196 / 6198  
www.canon.com.my

### MALDIVES

SIMDI Office Automation /  
SIMDI Company Pvt Ltd  
G.Faith, Majeedhee Magu, 20-139,  
Male', Maldives  
Tel: (960) 333 4421  
Fax: (960) 333 4424  
www.simdi.com  
rameze@simdi.com

### MYANMAR

Myanmar Golden Rock International  
Co., Ltd  
FJV Commercial Centre  
Level 6, No. 422-426  
Strand Road Botataung Township  
Yangon, Myanmar  
Tel: (95) 1 202092 to 96  
Fax: (95) 1 202079  
sales@mgr.com.mm

### NEPAL

International Electronics Concern  
Pvt Ltd  
Kha 14 1st Floor  
Haratibhawan Putalisadak  
Ramshah Path, Kathmandu,  
P.O. Box 12588  
Tel: (977) 1 4421911  
Fax: (977) 1 4421909

### PAKISTAN

Shirazi Trading Co (Pvt) Ltd  
8th Floor, Adamjee House,  
I.I. Chundrigar Road,  
Karachi, Pakistan  
Tel: (92) 21 32417659 / 32417737  
Fax: (92) 21 32417747 / 32420417 /  
32420418  
www.shirazitrading.com.pk

### PHILIPPINES

Canon Marketing (Philippines), Inc.  
Ground Floor Commerce and Industry  
Plaza., Campus Ave. cor. Park Ave.,  
McKinley Hill, Fort Bonifacio, Taguig  
City  
Tel: (632) 884 9000  
Fax: (632) 894 4174  
www.canon.com.ph

### SRI LANKA

Metropolitan Computers (Pvt.) Ltd  
85 Braybrooke, Place Colombo 2,  
Sri Lanka  
Tel: (94) 1 2437797  
Fax: (94) 1 2448980  
www.metropolitan.lk

### THAILAND

Canon Marketing (Thailand) Co. Ltd  
9th-10th Fl., 179/34-45  
Bangkok City Tower  
South Sathorn Road  
Thungmahamek, Sathorn,  
Bangkok 10120  
Tel: (66) 2 344 9999  
Fax: (66) 2 344 9960  
www.canon.co.th  
info@canon.co.th

### VIETNAM

Canon Singapore Pte Ltd  
Ho Chi Minh City Representative  
Office  
Floor 6, SaiGon Centre Building  
65 Le Loi, Ben Nghe Ward, District 1  
Ho Chi Minh City, Vietnam  
Tel: (84) 8 820 0466  
Fax: (84) 8 820 0477  
www.canon.com.vn  
cvro\_enq@canon.com.sg

Hanoi City Representative Office  
15 Nguyen Chi Thanh  
Hanoi, Vietnam  
Tel: (84) 4 771 1677  
Fax: (84) 4 771 1678  
www.canon.com.vn  
cvro\_enq@canon.com.sg